


**SWIVEL HEAD WRENCHES**

534

COMBINATION SWIVEL HEAD WRENCH

- Slim pattern, with free moving socket wrench
- With hole for tommy bars 26 D and 26 RS (please order separately)
- GEDORE vanadium steel 31CrV3, chrome-plated, heads polished




mm	L	a	d	26 D	26 RS		Code	No.
10	179	4.7	15.5	5	1	0.071	6512060	534 10
11	189	5.0	16.7	5	1	0.087	6512140	534 11
12	198	5.3	18.0	5	1	0.115	6512220	534 12
13	208	6.0	19.2	5	1	0.140	6512300	534 13
14	218	6.3	20.5	6	1	0.151	6512490	534 14
15	231	6.7	21.7	6	1	0.169	6512570	534 15
16	244	7.0	22.9	6	1	0.222	6512650	534 16
17	255	7.5	24.2	8	2	0.237	6512730	534 17
18	269	7.7	25.5	8	2	0.273	6513030	534 18
19	283	8.0	26.7	8	2	0.304	6512810	534 19

34 (MM)

SWIVEL HEAD WRENCH DOUBLE ENDED

- Thin walled heads, UD profile
- Swivels through a wide radius
- Shaft with holes for tommy bars 26 D and 26 RS (please order separately)
- GEDORE vanadium steel 31CrV3, heads polished, chrome-plated




mm
6 x 7
30 x 32

mm	L	d ₁	d ₂	26 D	26 RS		Code	No.
6 x 7	190	10.2	11.5	6	1	0.089	6301520	34 6x7
8 x 9	200	13.0	14.2	6	1	0.098	6299010	34 8x9
10 x 11	205	15.5	16.7	6	1	0.110	6299280	34 10x11
12 x 13	240	18.0	19.2	8	2	0.204	6299360	34 12x13
13 x 15	245	19.2	21.7	8	2	0.225	6299440	34 13x15
13 x 17	275	19.2	24.2	10	2	0.318	6299600	34 13x17
14 x 15	245	20.5	21.7	8	2	0.216	6299520	34 14x15
14 x 17	280	20.5	24.2	10	2	0.329	6299790	34 14x17
16 x 17	280	22.9	24.2	10	2	0.334	6299870	34 16x17
16 x 18	282	22.9	24.2	10	2	0.334	6300980	34 16x18
17 x 19	315	24.2	26.7	12	3	0.411	6299950	34 17x19
18 x 19	315	25.5	26.7	12	3	0.418	6300040	34 18x19
18 x 21	345	25.5	29.2	12	3	0.582	6301010	34 18x21
20 x 22	350	28.0	30.5	12	3	0.604	6300120	34 20x22
21 x 23	350	29.2	31.7	12	3	0.633	6300200	34 21x23
24 x 27	410	33.0	36.7	14	3	0.913	6300390	34 24x27
30 x 32	470	40.5	43.0	14	3	1.361	6300470	34 30x32

34 (AF)

SWIVEL HEAD WRENCH DOUBLE ENDED

- Thin walled heads, UD profile
- Swivels through a wide radius
- Shaft with holes for tommy bars 26 D and 26 RS (please order separately)
- GEDORE vanadium steel 31CrV3, heads polished, chrome-plated



AF	L	d ₁	d ₂	26 D	26 RS		Code	No.
3/8 x 7/16	205	14.9	16.7	6	1	0.110	6301600	34 3/8x7/16AF
1/2 x 9/16	245	18.7	20.7	8	2	0.216	6301790	34 1/2x9/16AF
19/32 x 11/16	280	21.7	24.7	10	2	0.314	6301870	34 19/32x11/16AF
5/8 x 3/4	315	22.5	26.7	12	3	0.405	6301950	34 5/8x3/4AF
13/16 x 7/8	350	28.5	30.6	12	3	0.598	6302090	34 13/16x7/8AF
15/16 x 1	410	32.6	34.6	14	3	0.862	6302170	34 15/16x1AF

TX 34

SWIVEL HEAD WRENCH DOUBLE ENDED

for protruding TORX® head screws

- Thin walled heads
- Swivels through a wide radius
- Shaft with holes for tommy bars 26 D and 26 RS (please order separately)
- GEDORE vanadium steel 31CrV3, heads polished, chrome-plated
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



	M	mm	mm	d ₁	d ₂	26 D	26 RS		Code	No.
E6x8	M5 - M7	5,74 x 7,52	190	8.5	10.8	6	1	0.086	6290570	TX 34 E6x8
E10xE12	M8 - M10	9,42 x 11,17	230	13.5	15.5	8	2	0.184	6290650	TX 34 E10xE12
E14xE18	M12 - M14	12,98 x 16,68	265	17.0	21.0	10	2	0.299	6290730	TX 34 E14xE18
E20xE24	M16 - M20	18,47 x 22,14	295	23.5	28.5	12	3	0.407	6290810	TX 34 E20xE24

1500 ES

101



1500 CT

107





ITX 34

SWIVEL HEAD WRENCH DOUBLE ENDED

for recessed **TORX®** head screws

- ▶ Shaft with holes for tommy bars 26 D and 26 RS (please order separately)
- ▶ Swivel through a wide radius
- ▶ Sockets in GEDORE chrome-molybdenum steel 42CrMo4, phosphated, shaft chrome-plated
- ▶ TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA




mm	M	mm	mm	26 D	26 RS	Code	No.
T15xT20	M3,5 - M5	3,27 x 3,86	205	6	1	0.093 6290060	ITX 34 T15xT20
T25xT27	M4,5 - M6	4,43 x 4,99	208	6	1	0.092 6290140	ITX 34 T25xT27
T30xT40	M6 - M8	5,52 x 6,65	210	6	1	0.099 6290220	ITX 34 T30xT40
T45xT50	M8 - M10	7,82 x 8,83	244	8	2	0.185 6290300	ITX 34 T45xT50
T55xT60	M12 - M14	11,22 x 13,25	280	10	2	0.304 6290490	ITX 34 T55xT60

IN 34 (MM)

SWIVEL HEAD WRENCH DOUBLE ENDED

for in-hex screws

- ▶ Shaft with holes for tommy bars 26 D and 26 RS (please order separately)
- ▶ Swivel through a wide radius
- ▶ Sockets in GEDORE chrome-molybdenum steel 42CrMo4, phosphated, shaft chrome-plated




mm	L	t ₁	t ₂	26 D	26 RS	Code	No.
3 x 4	198	4.0	5	6	1	0.101 6302250	IN 34 3x4
5 x 6	202	5.0	6	6	1	0.107 6302330	IN 34 5x6
8 x 10	235	8.0	10	8	2	0.199 6302410	IN 34 8x10
12 x 14	270	10.0	12	10	2	0.336 6302680	IN 34 12x14
17 x 19	295	14.0	16	12	3	0.411 6302760	IN 34 17x19

IN 34 (AF)

SWIVEL HEAD WRENCH DOUBLE ENDED

for in-hex screws

- ▶ Shaft with holes for tommy bars 26 D and 26 RS (please order separately)
- ▶ Swivel through a wide radius
- ▶ Sockets in GEDORE chrome-molybdenum steel 42CrMo4, phosphated, shaft chrome-plated




"AF"	L	t ₁	t ₂	26 D	26 RS	Code	No.
3/8 x 1/2	270	10.0	12	10	2	0.310 6303140	IN 34 3/8x1/2AF
9/16 x 5/8	295	14.0	16	12	3	0.402 6303220	IN 34 9/16x5/8AF

SOCKET WRENCHES

25

SOCKET WRENCH offset

- ▶ Solid pattern with extra deep socket for protruding bolts
- ▶ With dome for pointed screw heads
- ▶ Sizes 55 - 70 without dome (dimension a₂)
- ▶ GEDORE vanadium steel 31CrV3, chrome-plated



mm


10 - 70

mm	L	a ₁	a ₂	d ₁	d ₂	h	Code	No.
10	160	9.6	16.5	15.0	10	32	0.120 6188290	25 10
13	200	12.7	23.0	19.0	12	41	0.220 6188530	25 13
14	215	13.7	24.0	20.5	12	44	0.247 6188610	25 14
16	240	11.0	25.5	23.5	14	49	0.346 6196200	25 16
17	250	12.0	26.0	25.0	14	49	0.373 6188880	25 17
18	265	13.5	27.5	26.0	16	56	0.487 6196470	25 18
19	280	15.4	29.0	27.5	16	56	0.539 6188960	25 19
21	305	15.5	32.5	30.5	18	64	0.722 6196550	25 21
22	315	16.4	32.5	32.0	18	64	0.797 6189180	25 22
24	345	19.5	37.1	34.5	20	71	1.055 6189260	25 24
27	380	21.4	37.5	38.5	20	74	1.179 6189340	25 27
30	420	22.3	41.3	42.0	22	84	1.536 6189420	25 30
32	450	26.5	43.2	45.0	22	87	0.633 6189500	25 32
36	500	27.3	47.1	50.0	26	97	2.523 6189690	25 36
41	560	30.3	49.7	56.0	26	106	2.940 6189770	25 41
46	630	33.4	56.5	62.0	28	114	3.785 6189850	25 46
50	630	35.9	61.5	67.0	32	128	4.900 6189930	25 50
55	670	38.0	74.0	74.0	34	120	5.685 6190000	25 55
60	670	40.0	81.0	81.0	34	125	5.770 6190190	25 60
65	750	42.8	88.0	88.0	40	130	8.930 6190270	25 65
70	750	46.0	94.0	94.0	40	135	9.200 6190350	25 70

25 V

SOCKET WRENCH offset

- ▶ Solid pattern with extra deep socket
- ▶ GEDORE vanadium steel 31CrV3, chrome-plated



mm

8 - 17

mm	L	a	d ₁	d ₂	h	Code	No.
8	150	11.0	15.0	10	32.0	0.116 6194770	25 V 8
9	160	11.0	16.5	10	35.0	0.126 6194850	25 V 9
10	175	12.0	19.0	12	37.5	0.203 6194930	25 V 10
12	215	14.5	22.0	14	44.0	0.335 6195150	25 V 12
13	230	20.5	23.5	14	47.0	0.357 6195230	25 V 13
14	240	21.5	25.0	14	49.0	0.378 6195310	25 V 14
17	280	26.5	30.0	18	62.0	0.718 6195580	25 V 17