

## Installation Tools

### 312 VALVE HOLDER VENTI-QUICK

- > In aluminium
- > Drain valve holder and screw-in wrench for eccentric and standard valves 1.1/4"
- > Usable from top or bottom



↳ mm	⚖️	Code	No.
120	0.255	4508980	312000

### 314 CORNER VALVE SOCKET WRENCH

- > Chrome-vanadium steel 31CrV3, hardened, zinc-plated
- > For surface-protective assembling of all usual corner valves
- > With chamfered driving edges
- > 1/2" internal square drive



↳ mm	internal Ø	⚖️	Code	No.
82	27	0.150	1147471	314000

### 3170 INSTALLATION WRENCH

- > For washbasin mountings
- > With moveable stud screw insert for bathroom fittings attachment M10 or M12
- > Open end spanner size 17x19 mm for tightening or loosening of corner valves



for stud screws	Size	↳ mm	⚖️	Code	No.
<b>M10</b>	17x19 mm	250	0.330	4509360	317000
<b>M12</b>	17x19 mm	250	0.330	4609310	317012

### 3175 INSTALLATION WRENCH

- > For washbasin mountings
- > With moveable stud screw insert for bathroom fittings attachment M10 or M12
- > With reversible ring ratchet size 17 mm for tightening or loosening of bathroom fittings connections even in hard-to-reach areas
- > Open end spanner size 19 mm for tightening or loosening of corner valves
- > GEDORE vanadium steel 31CrV3, matt chrome-plated



for stud screws	Size	↳ mm	⚖️	Code	No.
<b>M10</b>	17x19 mm	250	0.330	4509520	317500
<b>M12</b>	19x19 mm	250	0.330	4609580	317512

### 3171 STUD SCREW WRENCH

- > For bathroom fittings attachment (stud screws) M6, M8, M10, M12
- > With pivotable thread insert
- > Nickel-plated



↳ mm	⚖️	Code	No.
220	0.300	4509440	317100

### 3173 STUD SCREW INSERTER

- > Self-gripping
- > For the fast and easy insertion and removal of studs, bolts, etc.
- > With hexagon drive




Size	⚖️	Code	No.
<b>M6</b>	0.130	1523171	317306
<b>M8</b>	0.130	1523198	317308
<b>M10</b>	0.130	1523201	317310
<b>M12</b>	0.130	1523228	317312



## 3165 BASIN WRENCH

- > For single lever taps and taps with central screw connection up to size 36 mm
- > With 13 mm hexagon drive and additional adaptors for 9, 10, 11 and 14 mm
- > With pivoted hook for right or left hand operation
- > Enamelled blue



l mm	kg	Code	No.
260	0.410	2829274	316500

## 320 WRENCH FOR PLUMBING FITTINGS

- > With pawl clamp
- > With exchangeable plastic jaws no. 320100, width 8 mm
- > For nickel-plated and chrome-plated fittings
- > Chrome-vanadium steel 31CrV3, hardened, chrome-plated
- > Handle enamelled blue



mm	mm	l mm	kg	Code	No.
65	45	275	0.720	4509600	320000

Description	kg	Code	No.
Set of plastic jaws	0.010	4540520	320100

## 126 STRAP WRENCH

- > Very gentle to surfaces, particularly suitable for chrome-plated fittings and polished surfaces
- > Handle in light metal, enamelled blue
- > With high-strength nylon strap



mm	inch	l mm	mm	kg	Code	No.
220	8	300	27	0.325	1468308	126008

## 329 SPECIAL SIPHON PLIERS

- > For tightening and removing screwed PVC pipe joints with round union nuts
- > With lap joint and three locking positions, jaw width 10 mm
- > No. 329001 with plastic jaws for special surface protection
- > Enamelled blue



329000



329001

mm	l mm	kg	Code	No.
20-65	230	0.300	4510290	329000
20-65	230	0.300	1984381	329001

## E 126 SPARE STRAP

- > High-strength nylon strap



l mm	mm	kg	Code	No.
950	27	0.035	1468316	126208

## 376 STEPPED KEY

- › For the installation and removal of valve nipples 3/8", 1/2", 3/4", 1", 1.1/4"
- › Drive with 18 mm square
- › Enamelled blue




kg	Code	No.
0.245	4541250	376100

## 380 COMBINATION STEPPED KEY


- › For the installation and removal of radiator valves, runback screwed unions 3/8" - 1" and short tap extensions
- › With pin, hexagon and bi-hexagon nut drive
- › 1/2" square drive
- › Nickel-plated



380200



380150




380100

Description	kg	Code	No.
<b>Combi-stepped key No. 380100 with ratchet 1/2"</b> <b>No. 380200</b>	0.555	4512900	380000
<b>Combi-stepped key No. 380150 with ratchet 1/2"</b> <b>No. 380200</b>	0.555	4630940	380001
<b>Combi-stepped key with 5 steps 3/8"-1"</b>	0.135	4513040	380100
<b>Combi-stepped key with 8 steps</b>	0.135	4611130	380150
<b>Ratchet 1/2"</b>	0.420	4513120	380200

## 3785 PLUMBER'S WRENCH

- › With 14 functions for tap extensions 3/8", 1/2", 3/4", 1"
- › Depth up to 100 mm
- › For the installation and removal of radiator valves and runback screwed unions
- › For stud screws M6, M8, M10, M12 and for screw plugs 3/8", 1/2"
- › Hexagon drive nut size 17, 22 mm
- › Chrome-plated



mm	kg	Code	No.
220 x 220	0.670	4512820	378500

## 3810 RADIATOR VALVE SPANNER

- › Spanner for tightening and removing Euro-cone radiator compression fittings with A/F 30 mm cam lock and hex nuts
- › Short, flat version with ratchet
- › Ratchet facilitates tightening of straight and elbow compression fittings underneath radiators
- › Head end socket for 1/2" extension. The extension is used as a handle and also provides higher torque
- › Side socket for 1/2" extension for working with the ratchet in front of the radiator
- › Socket for no. 3801 combination stepped key 3/4" radiator valve nipples
- › DBGM (= German Utility Patent)



381000



381030



Description	kg	Code	No.
<b>Radiator valve spanner no. 381030 with extension 1/2" no. 1990-5</b>	0.390	2233673	381000
<b>Radiator valve spanner 30 mm</b>	0.225	2233665	381030
<b>Extension 1/2" 125 mm</b>	0.188	6143860	1990-5