


Tyre fitting / removal

- > For the controlled tightening of wheel nuts or studs, we recommend torque wrenches
- > For truck wheels, we specially recommend the DR-LKW torque wrench



FOUR-WAY WRENCH

- > Hot forged hexagon
- > The collar, typical of GEDORE 4-way wheel wrenches, enlarges the welding area.
- > The positive-fit joint remains solid even under extreme loading..



28 CU 4-WAY WHEEL WRENCH FOR SMALL TRUCKS

- > For delivery vans and light trucks, buses and tractors
- > Acc. to DIN 3119, ISO 6788
- > GEDORE vanadium steel 31CrV3
- > GEDORE grey powder-coated
- > Dimensions: 600 x 600 mm



28 LM - LV 4-WAY WHEEL WRENCH FOR TRUCKS



- > For trucks, agricultural machines, tractors and industrial uses
- > Acc. to DIN 3119, ISO 6788
- > GEDORE vanadium steel 31CrV3
- > GEDORE grey powder-coated
- > Dimensions: 750 x 750 mm



mm	mm	kg	Code	No.
19x24x22x27 (3/4x15/16x7/8x1.1/16")	28,5x32x34,5x38,5	3.155	6228500	28 CU

mm	mm	kg	Code	No.
24x27x30x32	34,5x38,5x42x45	5.555	6228770	28 LM
24x32x27x3/4" 4kt	34,5x45x38,5x26	5.515	6229150	28 LV

28 LR + 28 LRV

4-WAY WHEEL WRENCH FOR TRUCKS

- > For trucks and heavy machines
- > With turned centre, especially sturdy
- > GEDORE vanadium steel 31CrV3, chrome-plated
- > Dimensions: 750 x 750 mm



Ø mm	Ø mm	kg	Code	No.
27x30x32x33	40x44x46x46	6.085	6228930	28 LR
27x30x32x3/4" 4kt	40x44x46x26	5.980	6228420	28 LRV

28 PKH

2-WAY WHEEL WRENCH FOR CARS

- > An indispensable tool for all usual car wheel nuts
- > With a protective central reinforcement (DBGM = German utility patent)
- > Practical and strong, with long lever arm, a space-saver in the car boot
- > GEDORE vanadium steel 31CrV3, chrome-plated
- > Dimensions: 410 x 260 mm




Ø mm	Ø mm	kg	Code	No.
17x19 (3/4")	26x28,5	1.020	6227290	28 PKH

28 PR + 28 PRV

UNIVERSAL 4-WAY WHEEL WRENCH

for cars and small trucks

- > Acc. to DIN 3119, ISO 6788
- > With solid turned centre, for the car and truck workshop
- > With extra long lever arm and great range of sockets
- > GEDORE vanadium steel 31CrV3, chrome-plated
- > Dimensions: 550 x 550 mm




Ø mm	Ø mm	kg	Code	No.
17x19 (3/4")x21x24	26x28,5x30,5x35,5	2.315	6227530	28 PR
17x19 (3/4")x21x1/2" 4kt	26x28,5x30,5x17,5	2.255	6227880	28 PRV

28 PU + 28 PUV

4-WAY WHEEL WRENCH FOR CARS


- > For car wheel nuts in metric and inch sizes
- > Acc. to DIN 3119, ISO 6788
- > With protective central reinforcement (DBGM = German utility patent)
- > GEDORE vanadium steel 31CrV3
- > GEDORE grey powder-coated
- > Dimensions: 420 x 420 mm



Ø mm	Ø mm	kg	Code	No.
17x19 (3/4")x21x11/16"	26x28,5x30,5x26	1.285	6227610	28 PU
17x19 (3/4")x21x1/2" 4kt	26x28,5x30,5x17,5	1.315	6228260	28 PUV

27 WHEEL SOCKET WRENCH FOR TRUCKS

- > With great head depth, for protruding bolts, without tommy bar
- > GEDORE vanadium steel 31CrV3, chrome-plated
- > Please order tommy bar 27 D separately



mm	"AF"	L	a ₁	a ₂	d ₁	d ₂	Ø	kg	Code	No.
24 x 27	15/16 x 1.1/16	400	34.5	34.5	36	40	1.148	6225240	27 24x27	
27 x 32		400	34.5	34.5	40	46	1.453	6220010	27 27x32	
28 x 32		400	34.5	34.5	41	46	1.134	6220280	27 28x32	
30 x 32	1.3/16 x 1.1/4	400	34.5	34.5	44	46	1.459	6225910	27 30x32	
30 x 33		400	34.5	34.5	44	47	1.442	6220440	27 30x33	
		630					18	1.260	6227100	27 D

8276 BALANCE WEIGHT PLIERS

- > For removing, cutting, and attaching balancing weights
- > GEDORE vanadium steel 31CrV3



mm	inch	kg	Code	No.
250	10	0.386	6739350	8276-250 C

K 19 LS / K 19 LS-004

>238



38 TYRE LEVER

- > Profiled pattern, forged from solid stock
- > With protective surfaces for light-alloy wheels
- > GEDORE vanadium steel 31CrV3, chrome-plated



mm	inch	kg	Code	No.
200	8	0.099	6332320	38 8
305	12	0.221	6332400	38 12
400	16	0.405	6332670	38 16
500	20	0.602	6332830	38 20
610	24	0.927	6332910	38 24

39 TYRE LEVER

heavy-duty pattern

- > Heavy-duty, offset pattern
- > GEDORE vanadium steel 31CrV3, chrome-plated



mm	inch	kg	Code	No.
610	24	1.365	6333050	39