

Car body work

269
BODYWORK FILE

- › With light-alloy handle and flexible milled file blades
- › **269 K** complete with 269 F 9
- › **269 L** without milled file blade



Execution		Code	No.
complete	1.050	6460080	269 K
without file blade	0.614	6460160	269 L

269 F
FLEXIBLE MILLED FILE BLADES

Teeth "	Execution	l mm		Code	No.
7	extra coarse	354	0.249	5460030	269 F 7
9	coarse	354	0.289	5460110	269 F 9
12	fine	354	0.303	5460380	269 F 12

252 - 288
PLANISHING HAND ANVILS

- › Made from hardened and tempered steel to EN 10083
- › Enamelled, with ground faces



252



253



254



255



259



281



282



285



288


Measurements		Code	No.
72 x 55 x 63	1.206	6456990	252
Ø 58.5 x 60	0.844	6457020	253
80 x 60 x 33	1.070	6457100	254
120 x 58 x 23	0.942	6457290	255
125 x 55 x 25	1.028	6457610	259

Measurements		Code	No.
130 x 55 x 36	0.933	6461720	281
100 x 40 x 80 x 70 x 62	1.372	6461800	282
111 x 68 x 23.5	0.999	6462020	285
104 x 66 x 25	0.987	6463340	288

289 - 291

BODYWORK SPOON

- › Made from hardened and tempered steel to EN 10083
- › Enamelled, with ground faces




Head width mm	Head width inch	Weight kg	Code	No.
275	11	0.545	6463420	289
390	16	1.014	6463690	291

292 - 293

BODYWORK LEVER

- › GEDORE vanadium steel 31CrV3
- › Enamelled, with ground faces



Head width mm	Head width inch	Weight kg	Code	No.
450	16	1.888	6463770	292
500	19	2.186	6463850	293

251

FLAT ROUND FACE HAMMER

- › With ergonomic ash handle (E-251 E)
- › Made from hardened and tempered steel to EN 10083
- › Enamelled blue, with ground faces



E-251 E

SPARE HANDLE ASH

Head width mm	Head height mm	Head width mm	Head height mm	Spare handle	Weight kg	Code	No.
300	155	40	31	E-251 E	0.497	6456720	251

Head width mm	Weight kg	Code	No.
300	0.111	1808621	E-251 E

261

PLANISHING HAMMER

- › With ergonomic ash handle (E-261 E)
- › Made from hardened and tempered steel to EN 10083
- › Enamelled blue, with ground faces



E-261 E

SPARE HANDLE ASH

Head width mm	Head height mm	Head width mm	Spare handle	Weight kg	Code	No.
325	160	31	E-261 E	0.512	6457960	261

Head width mm	Weight kg	Code	No.
325	0.111	1440934	E-261 E

272 - 273

SMOOTHING HAMMER

- › With ergonomic ash handle (E-251 E)
- › Made from hardened and tempered steel to EN 10083
- › Enamelled blue, with ground faces
- › The K models have one milled cross-hatched face and one smooth square face




└ mm ┘	└ mm	● mm	■ mm	Spare handle	⚖	Code	No.
300	105	32	25	E-251 E	0.306	6460400	272
300	105	32	25	E-251 E	0.322	6460590	272 K
300	100	40	35	E-251 E	0.403	6460670	273
300	100	40	35	E-251 E	0.395	6460750	273 K

275 - 276

EMBOSSING HAMMER

- › With ergonomic ash handle (E-251 E)
- › Made from hardened and tempered steel to EN 10083
- › Enamelled blue, with ground faces



└ mm ┘	└ mm	● mm	Spare handle	⚖	Code	No.
300	160	40	E-251 E	0.446	6461050	275
300	160	40	E-251 E	0.446	6461130	276

277

POINT PEIN HAMMER

- › With ergonomic ash handle (E-251 E)
- › Made from hardened and tempered steel to EN 10083
- › Enamelled blue, with ground faces



└ mm ┘	└ mm	● mm	Spare handle	⚖	Code	No.
300	137	37	E-251 E	0.331	6461210	277

278

PLANISHING / GROOVING HAMMER

- › With ergonomic ash handle (E-251 E)
- › Made from hardened and tempered steel to EN 10083
- › Enamelled blue, with ground faces



└ mm ┘	└ mm	● mm	Spare handle	⚖	Code	No.
300	160	40	E-251 E	0.406	6461480	278