

Spring clamps

For flexible, featherlight clamping



VarioClippix XV – suitable for one-handed use even at the maximum opening width of 170 mm.

Clippix XC – particularly easy to handle and suitable for all applications.

Convenient clamping with constant clamping pressure

BESSEY's spring clamps are small... but rather special. That's because they lie perfectly in the hand, guaranteeing ease of handling. Even with

large opening widths, powerful, constant one-handed clamping is always possible. And the infinitely variable adjustment and protective caps mean that even the most delicate workpieces receive effective protection. After all, size isn't everything!

Spring clamps



Your benefits at a glance:

1 Swivelling clamping arm

The swivelling super polyamide clamping arm ensures optimum handling. It is light and can be quickly and infinitely adjusted up to max. 100 mm.

2 Ergonomic 2-component handle

The ergonomically shaped 2-component handle is fitted with soft material inserts. This makes the handle pleasantly soft, as well as particularly resistant to slipping.

3 Protective caps

Particularly sensitive workpieces are effectively protected thanks to the protective caps. For all-round gentle clamping.

- Variable opening of up to 100 mm, yet can be operated with one hand
- Lightweight, functional and easy to handle
- Extremely sturdy
- Retail-ready packaging



VarioClippix XV

№	← a →		← b →		kg	qty.	VB0003
	mm	"	mm	"			
XV3-50	55	2	37	1 ½	0.07	12	
XV5-100	100	4	50	2	0.17	12	

- Variable clamping width up to 170 mm, yet can be operated with one hand
- Lightweight, functional and easy to handle
- Extremely stable
- Retail-ready packaging



VarioClippix XV

№	← a →		← b →		kg	qty.	VB0003
	mm	"	mm	"			
XV5-170	170	6	50	2	0.19	12	

Spring clamps



Clippix XC



N ^o	← a →		← b →		Contents/pc.	⚖	📦	VB0003
	mm	"	mm	"				
XC1	20	3/4	20	3/4	-	0.01	10	
XC1-SET	20	3/4	20	3/4	7 x XC1	0.06	8	
XC2	25	1	30	1 1/8	-	0.02	10	
XC3	35	1 3/8	37	1 1/2	-	0.05	10	
XC5	50	2	50	2	-	0.12	10	
XC7	75	3	70	2 3/4	-	0.18	10	



- Lightweight, functional and easy to handle
- Extremely sturdy
- Retail-ready packaging



Clippix XCL, Needle nose spring clamp



N ^o	← a →		← b →		Contents/pc.	⚖	📦	VB0003
	mm	"	mm	"				
XCL2	55	2 1/8	60	2 3/8	-	0.02	10	
XCL2-SET	55	2 1/8	60	2 3/8	2 x XCL2	0.04	10	
XCL5	70	3	110	4 1/4	-	0.14	10	



- Long, pointed clamping arm for working in tight spaces
- Large width for clamping in borderless areas
- Soft, slip-proof grip pads
- Retail-ready packaging