


## Body clamps and area pressure clamps

# Large-area clamping and spreading



### Ideal for sensitive workpieces and right angles

The large, perfectly parallel jaw faces are characteristic of the original BESSEY K Body REVO. It allows easy clamping and spreading of sensitive surfaces and right angles. Even round and pointed workpieces. And the best thing is: thanks to their


extra-large contact surfaces, the original BESSEY K Body REVO and the UniKlump are both universally applicable – even behind and to the side of the high-quality profiled rail. This allows you to clamp in locations that conventional screw clamps are unable to reach. That's guaranteed!

The K Body REVO – holds workpieces exactly parallel.

The Vario K Body REVO – enables step-less positioning of the upper part for optimization of weight distribution.

## K Body REVO

# Powerful clamping and spreading over large surfaces



### Your benefits at a glance:

#### 1 Parallel clamping surface with jaw protective caps

The extremely large flat clamping surfaces made of impact and break resistant polyamide are extremely powerful and exactly parallel. The three removable pressure caps are repellant to glue, replaceable and are also resistant to paint and grease solvents.

#### 2 A moveable 'fixed' jaw

For the first time ever, BESSEY offers the opportunity to adjust both jaws to optimise clamping preparation. With the push of a button the 'fixed' jaw can be moved to where you want it – eliminating a great deal of work piece balancing before glue is applied.


#### 3 Protective workpiece contact elements

The workpiece contact elements made from impact resistant polyamide prevent direct contact by the work-piece on the rail when the clamping surface is fully deployed. With TK 6 table clamps it is easy to fasten the K Body REVO clamps.



### Vario K Body REVO KRV

№	← a →	← b →	← e →	← x →	⚖	📦	VB0003
	mm	mm	mm	mm			
KRV100-2K	1000	95	260-1130	29 x 9	3.85	2	
KRV150-2K	1500	95	260-1610	29 x 9	4.25	2	
KRV200-2K	2000	95	260-2080	29 x 9	5.30	2	
KRV250-2K	2500	95	260-2580	29 x 9	6.30	2	
KR-VO	-	95	-	29 x 9	0.59	1	



Variable jaw KR-VO suitable for all BESSEY K body REVO KRV und KR



- Clamping force up to 7,000 N
- Steplessly adjustable and fixable upper section for improved workpiece positioning
- Very large parallel clamping surfaces
- With 3 pressure caps to protect delicate surfaces
- Can be converted to spreading function with no need for tools
- High-quality 2-component plastic handle

## Body clamps and area pressure clamps




- Clamping force up to 7,000 N
- Very large parallel clamping surface
- With 3 pressure caps to protect delicate surfaces
- Can be converted to spreading function with no need for tools
- High-quality 2-component plastic handle



### K Body REVO KR

Nº	← a → mm	← b → mm	← e → mm	← x → mm	kg	qty.	VB0003
KR30-2K	300	95	255-390	29 x 9	1.83	4	
KR60-2K	600	95	255-730	29 x 9	2.76	4	
KR80-2K	800	95	255-930	29 x 9	3.10	4	
KR100-2K	1000	95	255-1130	29 x 9	3.45	4	
KR125-2K	1250	95	255-1355	29 x 9	3.87	2	
KR150-2K	1500	95	255-1610	29 x 9	4.28	2	
KR200-2K	2000	95	255-2080	29 x 9	5.09	2	
KR250-2K	2500	95	255-2580	29 x 9	6.05	2	



- KP Framing System (from 30 cm to 250 cm/12"-98") with four 90° KP Blocks
- Separately adjustable clamping force with 2 inserted clamps per corner
- Lightweight / easy to assemble
- Retail-ready packaging



### Framing set KP

Nº	Suitable for	kg	qty.	VB0003
KP	KRV / KR / K	0.55	1	


Contents: 4 rail couplings and 4 adapters

- Adapter with tilting clamping jaws with a tilt range of -15° to +15°
- Clamping on sloping and parallel surfaces
- Retail-ready packaging



### Tilting K Body clamp adapter KR-AS (2 pcs./bag)

Nº	Suitable for	kg	qty.	VB0003
KR-AS	KRV / KR	0.18	12	



- Connect any two K Body clamps to increase the clamping capacity. The connector is made of robust aluminum.
- Comes with two red adapters. Use with Series KRV/KR. Not required for joining Series K.
- Retail-ready packaging



### K Body Extender KBX

Nº	Suitable for	kg	qty.	VB0003
KBX20	KRV / KR / K	0.75	12	




# Body clamps and area pressure clamps



## UK UniKlump



N <sup>o</sup>	← a →	← b →	← e →	← x →	⚖	📦	
	mm	mm	mm	mm	kg	qty.	VB0003
UK16	160	80	172-270	20 x 5	0.62	6	
UK30	300	80	172-415	20 x 5	0.72	6	
UK60	600	80	172-720	20 x 5	0.93	6	



- Clamping force up to 1,500 N
- Parallel jaw faces with extra-large contact surfaces
- Clamping of various shapes, along the whole length of the rail
- Universally applicable
- Light and easy-to-handle
- No need for tools for switching between clamping and spreading
- Retail-ready packaging



## Area pressure clamps FK




N <sup>o</sup>	← a →	← b →	← x →	⚖	📦	
	mm	mm	mm	kg	qty.	VB0003
FK16-8	160	80	16 x 7,5	0.60	10	
FK20-10	200	100	19,5 x 9,5	1.10	10	
FK40-10	400	100	19,5 x 9,5	1.40	5	

- Clamping force up to 5,000 N
- 2 large, tilting jaw faces
- For workpieces with a sloping contact surface
- Large-area clamping of all workpieces from both sides



## Box clamp KS



N <sup>o</sup>	← a →	← b →	⚖	📦	
	mm	mm	kg	qty.	VB0003
KS100	200-1000	16	3.32	1	
KS150	200-1500	16	3.94	1	
KSV	Extension 1000	-	1.55	1	



- Clamping force up to 5,000 N
- Infinitely adjustable clamping jaws
- Clamp on angled and parallel surfaces